


PANEL PC / FANLESS PANEL PC
Skat-4342-1-1577 - 15 Inch Panel PC
Article number: Skat-4342-1-1577


Fanless Panel PC with 15 Inch TFT Display, XGA (1024 x 768)

GENERAL DATA	
Type	Panel PC
Series	Skat
Power button	Yes
Reset button	No
Cooling	Fanless
CPU	
CPU generation	Ivy Bridge
CPU socket	rPGA988B
MEMORY / RAM	
Socket type	SO-DIMM
Number of slots	2
Storage type	DDR3
ECC	No
Frequency	1333 MHz
Voltage	1.35 V
Capacity	16 GB
STORAGE	
Bays 2.5 inch	1
Bays 3.5 inch	1 (Optional)
Slot mSATA	1
Slot CFast	CFast Socket
Interface for bays	SATA 2.0 / SATA 3.0
Amount connections for bays	4

PANEL PC / FANLESS PANEL PC
Skat-4342-1-1577 - 15 Inch Panel PC

GRAPHICS	
HDMI	1
VGA	1
DVI-D	1
Display port	1 (Optional)
LVDS	2 channels 18/24 bits
DISPLAY	
Display size	15.1 Inch
Display type	TFT
Aspect ratio	4:3
Display colors max.	16700000
Display resolution	XGA (1024 x 768)
Display brightness	400 cd/m2
Backlight type (typical)	LED
Touchscreen	Resistiv
Touch Interface	USB / COM
Contrast ratio	700
Viewing angle	60 (U), 80 (D), 80 (L), 80 (R)
Display ingress protection	IP65 (front)
ADDITIONAL INTERFACES	
RS-232	4
USB 3.0	4
Line-in	1
Mic-in	1
PS2	1
Digital Input	8 (Optional)
Digital Output	8 (Optional)
Other	2x SIM Card Slot
EXPANSION SLOTS	
PCI	1
mPCIe Full Size	2
ETHERNET	
Connector TX	RJ45
10/100/1000BaseTX Ports	2
POWER SUPPLY	
Power supply V DC	+12 V
Power supply connector	DC IN +12 V
PHYSICAL CHARACTERISTICS	
Housing material	Aluminium / Plastic
Housing color	Black
Dimensions (W x H x D)	384 x 312 x 70.5 mm
Weight	4200 g
Mounting	VESA 75 / Panel mount

PANEL PC / FANLESS PANEL PC

Skat-4342-1-1577 - 15 Inch Panel PC

ENVIRONMENTAL	
Operating temperature range	-20 - +60 °C
Humidity	5 - 95 %
APPROVALS	
CE	Yes
FCC	Class A

**SARTELCO® SISTEMI SRL**Via Torri Bianche, 1
20871 Vimercate (MB)Tel. +39- 039- 62905.1 Fax. +39- 039- 62905.99
e-mail sistemi@sartelco.it Web www.sartelco.it