

19 INCH RACKMOUNT / 4U RACKMOUNT

Vega-4A430-1-QAA - 19 Inch 4U Rackmount

Article number: Vega-4A430-1-QAA



19 Inch 4U Rackmount, Capacity: 2x 4 GB (max. 64 GB), CPU Type: Intel Core i5-6500 Processor

| GENERAL DATA | |
|--------------------|--------------------------------|
| Type | 19 Inch 4U Rackmount |
| Series | Vega |
| Power button | Yes |
| Reset button | Yes |
| Cooling | Active |
| Storage | SSD 256 GB integrated |
| CPU | |
| CPU type | Intel® Core™ i5-6500 Processor |
| CPU generation | 6th Generation |
| CPU family | Intel® Core™ i5 |
| CPU socket | FCLGA1151 |
| CPU frequency | 3.2 GHz |
| CPU frequency max. | 3.6 GHz |
| CPU cores | 4 |
| L2 cache | 6 MB |
| Hyperthreading | No |
| Embedded | Yes |
| MEMORY / RAM | |
| Socket type | U-DIMM |
| Number of slots | 2 |
| Storage type | DDR4 |
| ECC | No |
| Frequency | 2133 MHz |
| Voltage | 1.2 V |
| Capacity | 2x 4 GB (max. 64 GB) |

CAT-Vega-4A430-1-QAA-V1 EN ed. 12/15 Welotec GmbH

19 INCH RACKMOUNT / 4U RACKMOUNT
Vega-4A430-1-QAA - 19 Inch 4U Rackmount

| STORAGE | |
|------------------------------|------------------------|
| Bays 3.5 inch | 8 |
| Bays 5.25 inch | 2 |
| Interface for bays | SATA 3.0 |
| Amount connections for bays | 6 |
| GRAPHICS | |
| Graphic type | On board integrated |
| Graphic chip (GPU) | Intel® HD Graphics 530 |
| Graphic memory | Shared |
| Direct X Level | 12 |
| OpenGL | 4.4 |
| HDMI | 1 |
| VGA | 1 |
| DVI-D | 1 |
| Amount simultaneous displays | 3 |
| Resolution max. | 4096 x 2304 @ 24 Hz |
| ADDITIONAL INTERFACES | |
| RS-232 | 4x optional |
| RS-232/422/485 | 1 + 1x optional |
| USB 2.0 | 4 |
| USB 3.0 | 4 |
| Line-in | Optional |
| Line-out | 1 |
| Mic-in | 1 |
| PS2 | 1 |
| Digital Input/Output | 8-bit DIO optional |
| Other | 2x USB 2.0 front |
| EXPANSION SLOTS | |
| PCIe 16x | 1 |
| PCIe 4x | 2 |
| PCI | 3 |
| ETHERNET | |
| Connector TX | RJ45 |
| 10/100/1000BaseTX Ports | 2 |
| POWER SUPPLY | |
| Power supply V AC | 90 - 264 V AC |
| Power supply connector | Power Cord C20 |
| Performance power supply | 400 W |

19 INCH RACKMOUNT / 4U RACKMOUNT

Vega-4A430-1-QAA - 19 Inch 4U Rackmount

| PHYSICAL CHARACTERISTICS | |
|-----------------------------|--------------------|
| Housing material | SGCC Metal |
| Housing color | Black |
| Ingress protection | IP20 |
| Ingress protection front | IP20 |
| Dimensions (W x H x D) | 483 x 177 x 450 mm |
| Weight | 13500 g |
| Mounting | 19 Inch Rackmount |
| ENVIRONMENTAL | |
| Operating temperature range | 0 - +50 °C |
| Storage temperature range | -20 - +80 °C |
| Humidity | 5 - 90 % |
| APPROVALS | |
| CE | Yes |
| RoHS | Yes |



SARTELCO® SISTEMI SRL

Via Torri Bianche, 1
20871 Vimercate (MB)

Tel. +39- 039- 62905.1 Fax. +39- 039- 62905.99
e-mail sistemi@sartelco.it Web www.sartelco.it