

PANEL PC / FANLESS PANEL PC

Skat-4242-1-1045 - 10 Inch Panel PC

Article number: Skat-4242-1-1045



Fanless Panel PC with 10 Inch TFT Display, SVGA (800 x 600), CPU Type: Intel Atom E3845

GENERAL DATA	
Type	Panel PC
Series	Skat
Power button	Yes
Reset button	No
Cooling	Fanless
CPU	
CPU type	Intel® Atom™ E3845
CPU generation	Bay Trail-I
CPU family	Intel® Atom™
CPU socket	Soldered
CPU frequency	1.91 GHz
CPU frequency max.	1.91 GHz
CPU cores	4
L2 cache	2 MB
Hyperthreading	No
Embedded	Yes
MEMORY / RAM	
Socket type	Soldered
Number of slots	0
Storage type	DDR3L
ECC	No
Frequency	1333 MHz
Voltage	1.35 V
Capacity	4 GB

CAT-Skat-4242-1-1045-V1 EN ed. 12/15 Welotec GmbH

PANEL PC / FANLESS PANEL PC
Skat-4242-1-1045 - 10 Inch Panel PC

STORAGE	
Bays 2.5 inch	1
Slot mSATA	1
Interface for bays	SATA 2.0
Amount connections for bays	1
GRAPHICS	
Graphic type	On board integrated
Graphic chip (GPU)	Intel® Graphics Gen 7
Graphic memory	Shared
Direct X Level	Level 11
OpenGL	3.0
VGA	1
LVDS	2 channels 24/48 bits
Resolution max.	1920 x 1080
DISPLAY	
Display size	10.4 Inch
Display type	TFT
Aspect ratio	4:3
Display colors max.	16700000
Display resolution	SVGA (800 x 600)
Display brightness	350 cd/m2
Backlight type (typical)	LED
Touchscreen	Resistiv
Touch Interface	USB
Contrast ratio	1200
Viewing angle	88 (U), 88 (D), 88 (L), 88 (R)
Display ingress protection	IP65 (front)
ADDITIONAL INTERFACES	
RS-232	4
USB 2.0	4
Line-out	1
Mic-in	1
Digital Input	4 (Optional)
Digital Output	4 (Optional)
EXPANSION SLOTS	
mPCIe Half Size	1
mPCIe Full Size	1
ETHERNET	
Connector TX	RJ45
10/100/1000BaseTX Ports	2
POWER SUPPLY	
Power supply V DC	9 - 36 V
Power supply connector	DC IN +12 V

PANEL PC / FANLESS PANEL PC

Skat-4242-1-1045 - 10 Inch Panel PC

PHYSICAL CHARACTERISTICS	
Housing material	Aluminium / Plastic
Housing color	Black
Dimensions (W x H x D)	287.6 x 245 x 60.9 mm
Weight	2200 g
Mounting	VESA 75 / Panel mount
ENVIRONMENTAL	
Operating temperature range	-20 - +60 °C
Humidity	5 - 95 %
APPROVALS	
CE	Yes
FCC	Class A

**SARTELCO® SISTEMI SRL**Via Torri Bianche, 1
20871 Vimercate (MB)Tel. +39- 039- 62905.1 Fax. +39- 039- 62905.99
e-mail sistemi@sartelco.it Web www.sartelco.it**WELOTEC®**